CHRONIC PAIN ACCEPTANCE QUESTIONNAIRE

Name:							
Please ra	nte your daily pain	on a scale	e of 0-10				
applies to believe a	ou will find a list of you. Use the following statement is 'Alw	lowing rat	ing scale to make	e your choice	es. For instance,	if you	
statemen		2	2	4	E		
0	1	2	3	4 C-14	5 Wa wa Dawalas	6 Name :	
Always	•				Very Rarely		
true	true	true	true	true	true	true	
3. 4. 5. 6. 7. 8. 9.	My life is going was It's OK to experi I would gladly sa It's not necessary Although things I need to concent There are many a I lead a full life e D. Controlling my 1. My thoughts and my life.	ence pain. crifice important on generate on generativities I ven though	portant things in control my pain ged, I am living atting ridof my pado when I feel ph I have chronic s important than	my life to co in order to ha a normal life in. ain. pain. any other go	andle my life w despite my chro pals in my life.	rell. Onic pain.	
13	2. Despite the pain	. I am nov	v sticking to a ce	rtain course	in my life.		
	3. Keeping my pai something.					doing	
1:	4. Before I can ma5. When my pain i6. I will have bette about pain.	ncreases,	I can still take ca	re of my res	ponsibilities.		
18	7. I avoid putting 18. My worries and 9. It's a great relie life.	fears abou	ut what pain will	do to me are	e true.	n with	
20	O. I have to strugg	le to do thi	ings when I have	pain			

Chronic Pain Acceptance Questionnaire – Revised (CPAQ-R)

Authors: Lance M. McCracken, Kevin E. Vowles, & Christopher Eccleston The 20-item CPAQ-revised has been designed to measure acceptance of pain. The acceptance of chronic pain is thought to reduce unsuccessful attempts to avoid or control pain and thus focus on engaging in valued activities and pursuing meaningful goals. There have been 2 factors identified in the CPAQ-Revised:

- (1) Activity engagement (pursuit of life activities regardless of pain). Items -1, 2, 3, 5, 6, 8, 9, 10, 12, 15, 19.
- (2) Pain willingness (recognition that avoidance and control are often unworkable methods of adapting to chronic pain). Items 4, 7, 11, 13, 14, 16, 17, 18, 20. **Scoring:** The items on the CPAQ are rated on a 7-point scale from 0 (never true) to 6 (always true). To score the CPAQ, add the items for Activity engagement and Pain willingness to obtain a score for each factor. To obtain the total score, add the scores for each factor together. Lower scores indicate higher levels of acceptance

Reliability: The CPAQ-Revised demonstrates very good to excellent internal consistency, with alphas of .82 (Activity engagement) and .78 (Pain willingness). **Validity:** The CPAQ shows moderate to high correlations with measures of avoidance, distress, and daily functioning. The 2 factors of the CPAQ-revised have been found to significantly predict pain-related disability and distress, thus demonstrating predictive validity.

References:

McCraken, L. M., Vowles, K. E. & Eccleston, C. (2004). Acceptance of chronic pain: component analysis and a revised assessment method. *Pain, 107,* 159-166. McCracken, L. M., Vowles, K. E., & Eccleston, C. (2005). Acceptance-based treatment for persons with complex, long standing chronic pain: a preliminary analysis of treatment outcome in comparison to a waiting phase. *Behavior Research and Therapy,* 43, 1335-1346.

Revised date (4 October 2006) 147



Ketamine Center of Greater Hartford